


GEBERIT PRODUCT PORTFOLIO

WE MANAGE WATERFLOWS

DESIGN
MEETS
FUNCTION





EVENTFUL HISTORY

Since the day it all began in 1874 in Switzerland, we have been defined by our experiences. Geberit has been among the pioneers of the industry and is still setting trends with comprehensive system solutions. With more than 12,000 employees in over 40 countries, Geberit stands for innovation, durability and ecological efficiency.

FROM BEGINNING TO END

GEBERIT SYSTEMS FOR THE WHOLE BUILDING

Geberit systems deliver solutions for water supply, use, flushing and drainage.



1 SUPPLY

Geberit supply systems are easy to install, have high pressure and temperature resistance and low noise transmission.

2 USE

Geberit owns several ceramic brands that meet all the requirements regarding design, longevity and hygiene. Geberit sanitary systems have continually set trends for more than 125 years.

3 BUILDING DRAINAGE

Geberit waste water drainage systems meet all the expectations regarding an easy installation, reliability, capacity and soundproofing properties.

4 ROOF DRAINAGE

Geberit roof drainage systems cover solutions for domestic, industrial and commercial applications.

ALL INCLUSIVE

Geberit has got more to offer than only products. Through constant research and development Geberit makes sure that their technology and design not only meets the standards but is state-of-the art.

Besides the product range, Geberit offers a lot more services:



CERAMICS & FURNITURE



SANITARY SYSTEMS



PIPING SYSTEMS



LOGISTIC SERVICES



SUPPORT MATERIAL



TRAININGS



SPECS & DESIGN



TECHNICAL SUPPORT



AFTER SALES SERVICE

DESIGN MEETS FUNCTION

High quality ceramics and stylish furnishings create a unique ambiance. Sophisticated systems and innovative designs ensure absolute dependability. Self-supporting mounting elements for all plumbing objects deliver safety and stability.



GEBERIT SHOWER DRAINS
Smoothly integrated in the floor or the wall: the Geberit shower drains add a lot to the modern look of a bathroom.



GEBERIT ACTUATOR PLATES
A wide range of actuator plates provides designs for every taste and for every surrounding: in private, semi-public or public bathrooms.



GEBERIT AQUACLEAN
The toilet that cleans you with water. But the Geberit AquaClean offers a lot more than just a shower function.

KNOW-HOW INSTALLED

The piping systems of Geberit stand for know-how in the field of sanitary technology. From supply systems for residential, industry and public buildings, to drainage systems for roofs and buildings, Geberit provides a huge range of products and state-of-the-art technological solutions in the area of hydraulics, fire protection, sound insulation, reliability and environmental properties.



GEBERIT MEPLA
The flexible multi-layer pipes are really easy to install and to be used for drinking water installations and for radiator connections.



**GEBERIT PREWALL
INSTALLATION**
The Prewall Installation can be prefabricated to develop customised solutions for almost any construction project in front of the wall. Furthermore, the installation keeps the sound away from the walls.



GEBERIT MAPRESS
This metal piping system that comes in several different compositions is made for all sorts of supply installations: for domestic but also industrial applications.



GEBERIT HDPE
The product for all seasons: it is a highly flexible, resistant and long-lasting material that can be easily prefabricated

**KNOW
HOW
INSTALLED**

CONTENTS

12 CONCEALED
CISTERNS



24 GEBERIT
AQUACLEAN

13 ACTUATOR
PLATES



32 MONOLITH

34 SHOWER
DRAINS



58 WASTE WATER
DRAINAGE SYSTEMS

42 PUBLIC
SOLUTIONS



50 GEBERIT
BATHROOM
COLLECTION











62 WATER SUPPLY
SYSTEMS



→ Geberit Smyle WC with Sigma50 actuator plate

GEBERIT CONCEALED SOLUTIONS **THE TRADITION OF** HIDING CISTERNS

The Geberit concealed cistern is the heart of more than 70 million concealed installations in the bathroom. Every detail of this product is ingenious and has been proven a million times over. Plumbers and end users have trusted polyethylene cisterns from Geberit for more than 55 years.

- 
BEAUTIFUL DESIGN
 The actuator plates are the eye-catchers in your bathroom. A concealed solution with a wall-hung WC offers a lot of design options for your bathroom.
- 
INNOVATIVE AND FUNCTIONAL DESIGN
 Some of the actuator plates are available in an easy-to-clean coated option, some in a vandal-proof, screwable version and some can be combined with an odour extraction unit.
- 
WITHSTANDING HEAVY LOAD
 The Geberit wall-hung solutions are designed and tested to withstand weights of 400 kg.
- 
SAVING WATER
 The water consumption can be sustainably reduced with a Geberit dual flush actuation for the WC. The smaller button flushes with 3 litres, the bigger one with 6 litres and is easily reduced to 4.5 litres.
- 
OPENING SPACE
 As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution makes your bathroom look bigger.
- 
EASY TO CLEAN
 The fewer edges, joints and corners, the simpler to clean and more hygienic. Particularly in the WC area, it is better when ceramic appliances are wall-mounted to keep the floor space open.
- 
TOOL-FREE MAINTENANCE
 To maintain the actuator plates and the cisterns you do not need tools.
- 
PREMIUM QUALITY
 All products from Geberit are known for their very high reliability and durability. This not only ensures safe and trouble-free function, but also reduces maintenance costs. Proven Swiss technology for decades.

EVENTFUL HISTORY, CONSTANT INNOVATION.
 Since 1964 Geberit has been working on product improvements and has constantly developed the quality and functionality of the cisterns. Not only has the product itself moved on, but so too have the product benefits.



↑
Introducing the first concealed cistern in 1964



↑
Current state of modern technology

GEBERIT SIGMA CONCEALED CISTERNS


Sigma Duofix

Thickness: 120mm
 Height: 1,135mm

- 224.214.00.1 6/3L (HK Project)
- 224.217.00.1 6/3L
- 224.224.00.1 4.5/3L

Thickness: 120mm
 Height: 1,170mm


- 224.229.00.1 4.5/3L (ID)



Sigma Concealed Cistern

Thickness: 120mm
 Height: 1,080mm


- 224.320.00.1 6/3L (HK Project)
- 224.326.00.1 4.5/3L



GEBERIT SIGMA ACTUATOR PLATES

Sigma80

Flush technology:
 dual flush, infrared



→ 116.090.SG.6
 Plate: Black glass
 Material: Glass




→ 116.090.SM.6
 Plate: Reflective glass
 Material: Glass

* Installation set required -
 → Art no: 115.861.00.6
 Extension cable -
 → Art no: 241.831.00.1



Sigma70

Flush technology:
 dual flush



→ 115.620.FW.1
 Plate: Stainless steel brushed
 Material: Stainless steel



→ 115.620.SI.1
 Plate: White glass
 Material: Glass



→ 115.620.SJ.1
 Plate: Black glass
 Material: Glass



→ 115.620.JK.1
 Plate: Lava glass
 Material: Glass




→ 115.620.JL.1
 Plate: Sand grey glass
 Material: Glass



→ 115.620.00.1
 Plate: Customisable

Sigma60

Flush technology:
 dual flush



→ 115.640.GH.1
 Buttons: Brushed chrome,
 easy-to-clean coated
 Frame: Bright chrome
 Stripes: Bright chrome
 Material: Die-cast zinc



→ 115.640.SI.1
 Buttons: White glass
 Frame: Bright chrome
 Stripes: Mirrored
 Material: Glass, Die-cast zinc



→ 115.640.SJ.1
 Buttons: Black glass
 Frame: Bright chrome
 Stripes: Mirrored
 Material: Glass, Die-cast zinc



→ 115.640.JK.1
 Buttons: Lava glass
 Frame: Bright chrome
 Stripes: Mirrored
 Material: Glass, Die-cast zinc



→ 115.640.JL.1
 Buttons: Sand grey glass
 Frame: Bright chrome
 Stripes: Mirrored
 Material: Glass, Die-cast zinc




* Installation set required -
 → Art no: 243.168.00.1

* Brushed chrome cover frame:
 → Art no: 115.641.GH.1 (easy-to-clean)
 → Art no: 115.641.21.1

GEBERIT SIGMA ACTUATOR PLATES

Sigma50

Flush technology:
dual flush



→ **115.670.00.2**
Plate: Customisable
Buttons: Red gold,
Easy-to-clean coated
Material: Die-cast zinc



→ **115.671.00.2**
Plate: Customisable
Buttons: Black chrome,
Easy-to-clean coated
Material: Die-cast zinc



→ **115.672.00.2**
Plate: Customisable
Buttons: Brass,
Easy-to-clean coated
Material: Die-cast zinc



→ **115.788.00.2**
Plate: Customisable
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc



→ **115.788.GH.2**
Plate: Brushed chrome
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc, Brass



→ **115.670.11.2**
Plate: White
Buttons: Red gold,
Easy-to-clean coated
Material: Die-cast zinc, Plastic



→ **115.671.11.2**
Plate: White
Buttons: Black chrome,
Easy-to-clean coated
Material: Die-cast zinc, Plastic



→ **115.672.11.2**
Plate: White
Buttons: Brass,
Easy-to-clean coated
Material: Die-cast zinc, Plastic



→ **115.788.11.2**
Plate: White alpine
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc, Plastic



→ **115.788.21.2**
Plate: Bright chrome
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc, Brass



→ **115.670.DW.2**
Plate: Black
Buttons: Red gold,
Easy-to-clean coated
Material: Die-cast zinc, Plastic



→ **115.671.DW.2**
Plate: Black
Buttons: Black chrome,
Easy-to-clean coated
Material: Die-cast zinc, Plastic



→ **115.672.DW.2**
Plate: Black
Buttons: Brass,
Easy-to-clean coated
Material: Die-cast zinc, Plastic



→ **115.788.DW.2**
Plate: Jet black RAL 9005
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc, Plastic



→ **115.788.SD.2**
Plate: Smoked glass reflective
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc, Glass



→ **115.670.JM.2**
Plate: Mustang slate
Buttons: Black chrome,
Easy-to-clean coated
Material: Die-cast zinc, Slate



→ **115.671.JM.2**
Plate: Mustang slate
Buttons: Black chrome,
Easy-to-clean coated
Material: Die-cast zinc, Slate



→ **115.672.JM.2**
Plate: Mustang slate
Buttons: Brass,
Easy-to-clean coated
Material: Die-cast zinc, Slate



→ **115.788.JM.2**
Plate: Mustang slate
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc, Slate



→ **115.788.JK.2**
Plate: Lava glass
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc, Glass



→ **115.670.JV.2**
Plate: Concrete
Buttons: Red gold,
Easy-to-clean coated
Material: Die-cast zinc, Concrete



→ **115.671.JV.2**
Plate: Concrete
Buttons: Black chrome,
Easy-to-clean coated
Material: Die-cast zinc, Concrete



→ **115.672.JV.2**
Plate: Concrete
Buttons: Brass,
Easy-to-clean coated
Material: Die-cast zinc, Concrete



→ **115.788.JV.2**
Plate: Concrete
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc, Concrete



→ **115.788.JL.2**
Plate: Sand grey glass
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc, Glass



→ **115.670.JX.2**
Plate: Black walnut
Buttons: Red gold,
Easy-to-clean coated
Material: Die-cast zinc, Wood



→ **115.671.JX.2**
Plate: Black walnut
Buttons: Black chrome,
Easy-to-clean coated
Material: Die-cast zinc, Wood



→ **115.672.JX.2**
Plate: Black walnut
Buttons: Brass,
Easy-to-clean coated
Material: Die-cast zinc, Wood




→ **115.788.JX.2**
Plate: Black walnut
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc, Wood




→ **115.788.TG.2**
Plate: Sand glass
Buttons: Chrome,
Easy-to-clean coated
Material: Die-cast zinc, Glass

Sigma30

Flush technology:
dual flush



→ **115.883.01.1**
Plate & Buttons: Matt white
Stripes: White
Material: Plastic,
Easy-to-clean coated



→ **115.883.16.1**
Plate & Buttons: Matt black
Stripes: Black
Material: Plastic,
Easy-to-clean coated



→ **115.883.JT.1**
Plate & Buttons: Matt white
Stripes: Bright chrome
Material: Plastic,
Easy-to-clean coated



→ **115.883.KK.1**
Plate & Buttons: White
Stripes: Gold
Material: Plastic



→ **115.883.11.1**
Plate & Buttons: White
Stripes: Matt white
Material: Plastic,
Easy-to-clean coated



→ **115.883.DW.1**
Plate & Buttons: Black
Stripes: Matt Black
Material: Plastic,
Easy-to-clean coated



→ **115.883.KH.1**
Plate & Buttons: Bright chrome
Stripes: Matt chrome
Material: Plastic



→ **115.883.JQ.1**
Plate & Buttons: Matt chrome
Stripes: Bright chrome
Material: Plastic,
Easy-to-clean coated



→ **115.883.14.1**
Plate & Buttons: Matt black
Stripes: Bright chrome
Material: Plastic,
Easy-to-clean coated




→ **115.883.KJ.1**
Plate & Buttons: White
Stripes: Bright chrome
Material: Plastic



→ **115.883.KM.1**
Plate & Buttons: Black
Stripes: Bright chrome
Material: Plastic

Sigma20

Flush technology:
dual flush



→ **115.882.01.1**
Plate & Buttons: Matt white
Ring: White
Material: Plastic,
Easy-to-clean coated



→ **115.882.16.1**
Plate & Buttons: Matt black
Ring: Black
Material: Plastic,
Easy-to-clean coated



→ **115.882.JT.1**
Plate & Buttons: Matt white
Ring: Bright chrome
Material: Plastic,
Easy-to-clean coated



→ **115.882.KK.1**
Plate & Buttons: White
Ring: Gold
Material: Plastic



→ **115.882.11.1**
Plate & Buttons: White
Ring: Matt white
Material: Plastic,
Easy-to-clean coated



→ **115.882.DW.1**
Plate & Buttons: Black
Ring: Matt black
Material: Plastic,
Easy-to-clean coated



→ **115.882.KH.1**
Plate & Buttons: Bright chrome
Ring: Matt chrome
Material: Plastic



→ **115.882.KM.1**
Plate & Buttons: Black
Ring: Bright chrome
Material: Plastic



→ **115.882.14.1**
Plate & Buttons: Matt black
Ring: Bright chrome
Material: Plastic,
Easy-to-clean coated



→ **115.882.JQ.1**
Plate & Buttons: Matt chrome
Ring: Bright chrome
Material: Plastic,
Easy-to-clean coated



→ **115.882.KJ.1**
Plate & Buttons: White
Ring: Bright chrome
Material: Plastic




→ **115.882.SN.1**
Plate & Buttons: Stainless
steel brushed
Ring: Polished
Material: Stainless steel
brushed, Easy-to-clean
coated



→ **115.889.SN.1** (lockable)
Plate & Buttons: Stainless
steel brushed
Ring: Polished
Material: Stainless steel
brushed, Easy-to-clean
coated

Sigma21

Flush technology:
dual flush



→ **115.650.00.1**
Plate & Buttons: Customisable
Ring: Red gold
Material: Die-cast zinc



→ **115.651.00.1**
Plate & Buttons: Customisable
Ring: Black chrome
Material: Die-cast zinc



→ **115.652.00.1**
Plate & Buttons: Customisable
Ring: Brass
Material: Die-cast zinc



→ **115.884.00.1**
Plate & Buttons: Customisable
Ring: Bright chrome
Material: Die-cast zinc



→ **115.761.00.1**
Plate & Buttons: Coral orange
Ring: Bright chrome
Material: Die-cast zinc,
Decorative laminate



→ **115.650.JM.1**
Plate & Buttons: Mustang slate
Ring: Red gold
Material: Die-cast zinc,
Slate



→ **115.651.JM.1**
Plate & Buttons: Mustang slate
Ring: Black chrome
Material: Die-cast zinc,
Slate



→ **115.652.JM.1**
Plate & Buttons: Mustang slate
Ring: Brass
Material: Die-cast zinc,
Slate



→ **115.884.JM.1**
Plate & Buttons: Mustang slate
Ring: Bright chrome
Material: Die-cast zinc,
Slate



→ **115.761.00.2**
Plate & Buttons: Abyss blue
Ring: Bright chrome
Material: Die-cast zinc,
Decorative laminate



→ **115.650.JV.1**
Plate & Buttons: Concrete
Ring: Red gold
Material: Die-cast zinc,
Concrete



→ **115.651.JV.1**
Plate & Buttons: Concrete
Ring: Black chrome
Material: Die-cast zinc,
Concrete



→ **115.652.JV.1**
Plate & Buttons: Concrete
Ring: Brass
Material: Die-cast zinc,
Concrete



→ **115.884.JV.1**
Plate & Buttons: Concrete
Ring: Bright chrome
Material: Die-cast zinc,
Concrete



→ **115.761.00.3**
Plate & Buttons: Coral pink
Ring: Bright chrome
Material: Die-cast zinc,
Decorative laminate



→ **115.650.JX.1**
Plate & Buttons: Black walnut
Ring: Red gold
Material: Die-cast zinc,
Wood



→ **115.651.JX.1**
Plate & Buttons: Black walnut
Ring: Black chrome
Material: Die-cast zinc,
Wood



→ **115.652.JX.1**
Plate & Buttons: Black walnut
Ring: Brass
Material: Die-cast zinc,
Wood



→ **115.884.JX.1**
Plate & Buttons: Black walnut
Ring: Bright chrome
Material: Die-cast zinc,
Wood



→ **115.761.00.4**
Plate & Buttons: Camel
Ring: Bright chrome
Material: Die-cast zinc,
Decorative laminate



→ **115.650.SI.1**
Plate & Buttons: White
Ring: Red gold
Material: Die-cast zinc,
Glass



→ **115.651.SI.1**
Plate & Buttons: White
Ring: Black chrome
Material: Die-cast zinc,
Glass



→ **115.652.SI.1**
Plate & Buttons: White
Ring: Brass
Material: Die-cast zinc,
Glass



→ **115.884.SI.1**
Plate & Buttons: White
Ring: Bright chrome
Material: Die-cast zinc,
Glass



→ **115.761.00.5**
Plate & Buttons: Beige
Ring: Bright chrome
Material: Die-cast zinc,
Decorative laminate



→ **115.650.SJ.1**
Plate & Buttons: Black
Ring: Red gold
Material: Die-cast zinc,
Glass



→ **115.651.SJ.1**
Plate & Buttons: Black
Ring: Black chrome
Material: Die-cast zinc,
Glass



→ **115.652.SJ.1**
Plate & Buttons: Black
Ring: Brass
Material: Die-cast zinc,
Glass



→ **115.884.SJ.1**
Plate: Black
Ring: Bright chrome
Material: Die-cast zinc,
Glass



→ **115.761.00.6**
Plate & Buttons: Grey linen
Ring: Bright chrome
Material: Die-cast zinc,
Decorative laminate



→ **115.884.JK.1**
Plate & Buttons: Lava glass
Ring: Bright chrome
Material: Die-cast zinc,
Glass



→ **115.884.JL.1**
Plate & Buttons: Sand grey glass
Ring: Bright chrome
Material: Die-cast zinc,
Glass



→ **115.884.TG.1**
Plate & Buttons: Sand glass
Ring: Bright chrome
Material: Die-cast zinc,
Glass



→ **115.761.00.1**
Plate & Buttons: Rouge leather
Ring: Bright chrome
Material: Die-cast zinc,
Decorative laminate




→ **115.761.00.7**
Plate & Buttons: Dark Rock
Ring: Bright chrome
Material: Die-cast zinc,
Decorative laminate

GEBERIT SIGMA ACTUATOR PLATES

Sigma10

Flush technology:
dual flush, infrared



→ **115.907.KH.6** (mains)
→ **115.908.KH.6** (battery)
Plate: Bright chrome
Ring: Matt chrome
Material: Plastic



→ **115.907.KK.6** (mains)
→ **115.908.KK.6** (battery)
Plate: White
Ring: Gold-plated
Material: Plastic



→ **115.907.KM.6** (mains)
→ **115.908.KM.6** (battery)
Plate: Black
Ring: Bright chrome
Material: Plastic



→ **115.907.SN.6** (mains)
→ **115.908.SN.6** (battery)
Plate: Stainless steel brushed
Ring: Polished
Material: Stainless steel



With manual flush
→ **115.890.SN.5** (mains)
→ **115.891.SN.5** (battery)
Plate: Stainless steel brushed
Ring: Polished
Material: Stainless steel



→ **115.907.KJ.6** (mains)
→ **115.908.KJ.6** (battery)
Plate: White
Ring: Bright chrome
Material: Plastic



→ **115.907.KL.6** (mains)
→ **115.908.KL.6** (battery)
Plate: White
Ring: Matt chrome
Material: Plastic




→ **115.907.KN.6** (mains)
→ **115.908.KN.6** (battery)
Plate: Matt chrome
Ring: Bright chrome
Material: Plastic

* Installation set required for
mains operation plates -
→ Art no: 115.861.00.6

Extension cable -
→ Art no: 241.831.00.1

Sigma01

Flush technology:
dual flush



→ **115.770.11.5**
Plate: White alpine
Buttons: White alpine
Material: Plastic



→ **115.770.JQ.5**
Plate: Matt chrome
Buttons: Matt chrome,
Easy-to-clean coated
Material: Plastic



→ **115.770.DW.5**
Plate: Jet black RAL 9005
Buttons: Jet black RAL 9005
Material: Plastic



→ **115.770.LA.5**
Plate: White
Buttons: Yellow / Green
Material: Plastic



→ **115.770.21.5**
Plate: Bright chrome
Buttons: Bright chrome
Material: Plastic



→ **115.770.DT.5**
Plate: Special brass galvanised
Buttons: Special brass galvanised
Material: Plastic



→ **115.770.KA.5**
Plate: Bright chrome
Buttons: Matt chrome
Material: Plastic



→ **115.770.LB.5**
Plate: White
Buttons: Blue / Red
Material: Plastic

GEBERIT DUOFRESH MODULE FOR SIGMA ACTUATORS

DuoFresh Module

For Geberit Actuator Plates Sigma50, Sigma30, Sigma21, Sigma 20, Sigma10 and Sigma01 only.

→ **115.050.21.1**
Bright chrome plated
For Geberit Sigma concealed cisterns 12cm only

→ **115.050.BZ.1**
Anthracite grey
For Geberit Sigma concealed cisterns 12cm only

* Installation set required -
→ Art no: 244.999.00.1

or mounting box for WC ceramic -
→ Art no: 224.120.00.1

Power supply unit:
→ Art no: 243.971.00.1

Consumable drawer with filter:
→ Art no: 243.970.00.1

Consumable DuoFresh stick:
→ Art no: 244.900.00.1



→ Geberit Sigma50 Actuator Plate with DuoFresh Module



→ Geberit DuoFresh Module replaceable honeycomb filter

↑ GEBERIT DUOFRESH PURE AIR

The Geberit DuoFresh module removes bad air directly from the WC ceramic appliance, purifies it using a ceramic honeycomb filter and then returns it to the room. Thanks to a proximity sensor, the odour extraction always switches on automatically as soon as someone sits down on the toilet. The odour extraction is therefore also a great idea for guest WCs.

Benefit from additional comfort thanks to an LED orientation light. The Geberit DuoFresh module can be easily installed in any Geberit Sigma cistern and can be combined with almost any actuator plate from the Sigma range.

FRESH AIR FOR YOUR WELL-BEING

- Unpleasant odours are extracted right at their source
- Discreet look thanks to the integration of the odour extraction unit into the concealed cistern
- Can be combined with most of the Sigma actuator plates
- Orientation light for the night
- Maximum ease of use



→ Geberit Sigma50 actuator plate with Geberit DuoFresh Module


→ Geberit Smyle wall-hung WC

GEBERIT KAPPA CONCEALED CISTERNS

Kappa Duofix

Thickness: 150mm
 Height: 820mm


- 224.158.00.1 6/3L (HK Project)
- 224.178.00.1 4/3L (SG)
- 224.175.00.1 4.5/3L



Kappa Concealed Cistern


Thickness: 150mm
 Height: 820mm

- 224.360.00.1 6/3L (HK Project)
- 224.364.00.1 4.5/3L (SG)



Thickness: 150mm
 Height: 880 - 1,080mm


- 224.361.00.1 4.5/3L (MY / ID / SG)



GEBERIT KAPPA ACTUATOR PLATES

Kappa50

Flush technology:
 dual flush



- 115.258.00.1
- Plate: Stainless steel brushed
- Buttons: Stainless steel brushed
- Material: Stainless steel



- 115.260.11.1
- Plate: White alpine
- Buttons: White alpine
- Material: Die-cast zinc




- 115.260.21.1
- Plate: Bright chrome
- Buttons: Bright chrome
- Material: Die-cast zinc



- 115.260.46.1
- Plate: Matt chrome
- Buttons: Matt chrome
- Material: Die-cast zinc

Kappa21

Flush technology:
 dual flush



- 115.240.KH.1
- Plate: Bright chrome
- Buttons: Bright chrome
- Ring: Matt chrome
- Material: Plastic



- 115.240.KJ.1
- Plate: White
- Buttons: White
- Ring: Bright chrome
- Material: Plastic



- 115.240.KK.1
- Plate: White
- Buttons: White
- Ring: Gold-plated
- Material: Plastic



- 115.240.KL.1
- Plate: White
- Buttons: Matt chrome
- Ring: Matt chrome
- Material: Plastic




- 115.240.KM.1
- Plate: Black
- Buttons: Black
- Ring: Bright chrome
- Material: Plastic



- 115.240.KN.1
- Plate: Matt chrome
- Buttons: Matt chrome
- Ring: Bright chrome
- Material: Plastic

Kappa20

Flush technology:
 dual flush



- 115.228.11.1
- Plate: White alpine
- Buttons: White alpine
- Material: Plastic



- 115.228.21.1
- Plate: Bright chrome
- Buttons: Bright chrome
- Material: Plastic



- 115.228.46.1
- Plate: Matt chrome
- Buttons: Matt chrome
- Material: Plastic

GEBERIT REMOTE FLUSH ACTUATOR PLATES

Pneumatic Type 70

Flush technology:
dual flush

For Sigma Cistern only

→ **115.630.FW.1**
Plate: Stainless steel
Material: Stainless steel brushed

→ **115.630.SI.1**
Plate: White glass
Material: Glass

→ **115.630.SJ.1**
Plate: Black glass
Material: Glass

→ **115.630.JK.1**
Plate: Lava glass
Material: Glass

→ **115.630.JL.1**
Plate: Sand grey glass
Material: Glass

Pneumatic Actuator

Flush technology:
dual flush

→ **115.932.KA.1**
Plate: Bright chrome
Buttons: Matt chrome
Material: Plastic

→ **115.932.KT.1**
Plate: Glossy white
Buttons: Brushed chrome
Material: Plastic

→ **115.932.KV.1**
Plate: Glossy black
Buttons: Brushed chrome
Material: Plastic

→ **115.932.GH.1**
Plate: Brushed chrome
Buttons: Brushed chrome
Material: Die cast zinc

Pneumatic Type 10

Flush technology:
dual flush

→ **116.055.KH.1**
Collar & Buttons: Bright chrome
Ring: Matt chrome
Material: Plastic

→ **116.055.KJ.1**
Collar & Buttons: White
Ring: Bright chrome
Material: Plastic

→ **116.055.KK.1**
Collar & Buttons: White
Ring: Gold
Material: Plastic

→ **116.055.KM.1**
Collar & Buttons: Black
Ring: Bright chrome
Material: Plastic

→ **116.055.KN.1**
Collar & Buttons: Matt chrome
Ring: Bright chrome
Material: Plastic

Pneumatic Type 01

Flush technology:
dual flush

→ **116.042.11.1**
Collar: White alpine
Buttons: White alpine
Material: Plastic

→ **116.042.21.1**
Collar: Bright chrome
Buttons: Bright chrome
Material: Plastic

→ **116.042.46.1**
Collar: Matt chrome
Buttons: Matt chrome
Material: Plastic

→ Geberit iCon wall-hung WC with Geberit Pneumatic Type 10 remote flush actuator

GEBERIT AQUACLEAN SHOWER TOILETS

FEEL FRESH WITH WATER



→ Geberit AquaClean Mera with Sigma70 actuator plate

DESIGN PLUS
powered by: 



red dot design award
winner 2015



- Perfect model for every bathroom
- Big variety of comfort functions like seat heating, comfort light, etc.
- Whirlspray technology
- Fresh out-of-the-shower feeling



GET CLEANED WITH WATER

Water is irreplaceable for hygiene and our well-being. It is all the more astonishing that we are satisfied with only toilet paper when going to the toilet.

The Geberit AquaClean is the toilet that cleans you with water. A new kind of personal hygiene that is gentle and natural. It gives you a sense of freshness and cleanliness that you will soon not want to live without. There is a perfect model for every bathroom.




GEBERIT AQUACLEAN SHOWER TOILETS

Geberit AquaClean Mera

- 146.214.11.1 Comfort, White alpine
- 146.214.21.1 Comfort, Bright-chrome plated
- 146.204.11.1 Classic, White alpine
- 146.204.21.1 Classic, Bright-chrome plated

Geberit AquaClean Wall Mounted Control Panel

- 147.038.SI.1 White glass
- 147.038.SJ.1 Black glass



GEBERIT AQUACLEAN MERA FEATURES:



↑
ODOUR EXTRACTION UNIT
Unpleasant odours are absorbed at once in the interior of the WC ceramic appliance by the automatically starting, low-noise odour extraction unit and then eliminated through a ceramic honeycomb filter.



↑
DRYER
The dryer arm aligns itself automatically for optimum drying at the last position of the spray arm.



↑
HEATING THE WC SEAT
The ergonomically optimised WC seat made of high-quality thermoset is equipped with an integrated heating element. Thanks to the proximity sensor, the WC seat waits until someone approaches before heating up.



← **ORIENTATION LIGHT**
A discreet light catches your eye and helps you orient yourself at night. Activated by proximity sensor, it lights up in one of seven selectable colour tones and five brightness levels.





GEBERIT AQUACLEAN SHOWER TOILETS

Geberit AquaClean Sela

- 146.224.11.1 White alpine
- 146.224.21.1 Bright-chrome plated

Geberit AquaClean Wall Mounted Control Panel

- 147.041.SI.1 White glass
- 147.041.SJ.1 Black glass



GEBERIT AQUACLEAN SELA FEATURES:



↑
TURBOFLUSH TECHNOLOGY
The innovative TurboFlush technology is based on a flow-optimized rimless ceramic pan. This way, the shower toilet can be flushed at any time without any disturbing sounds – even at night.



↑
WHIRLSPRAY SHOWER TECHNOLOGY
AquaClean Sela features the unique, patented WhirlSpray shower technology. The shower spray is refined through dynamic aeration that allows for pleasant and thorough cleaning with low water consumption.



↑
REMOTE CONTROL AND APP
All functions of the AquaClean Sela can be easily controlled from the remote control and Geberit AquaClean App.









← **ORIENTATION LIGHT**
The discreet orientation light is just bright enough to show the way at night and makes it easier to fall asleep afterwards. With a brightness sensor control it is activated in the dark. Available in seven different colours.

GEBERIT AQUACLEAN SHOWER TOILETS

Geberit AquaClean Tuma

AquaClean Tuma, Wall-hung

- 146.294.11.1 Comfort, White alpine
- 146.294.SI.1 Comfort, White glass
- 146.294.SJ.1 Comfort, Black glass
- 146.294.FW.1 Comfort, Stainless steel brushed
- 146.094.11.1 Classic, White alpine



AquaClean Tuma, Floor-standing

- 146.310.11.1 Comfort, White alpine
- 146.310.SI.1 Comfort, White glass
- 146.310.SJ.1 Comfort, Black glass
- 146.310.FW.1 Comfort, Stainless steel brushed
- 146.320.11.1 Classic, White alpine



Geberit AquaClean Wall Mounted Control Panel

- 147.038.SI.1 White glass
- 147.038.SJ.1 Black glass



GEBERIT AQUACLEAN TUMA FEATURES:



↑

WHIRLSPRAY SHOWER TECHNOLOGY
 The AquaClean Tuma ensures a cleaning that is particularly convenient while at the same time saving water, thanks to the patented WhirlSpray shower technology.



↑

RIMFREE WC CERAMIC APPLIANCE
 With the Rimfree WC ceramic appliance, the Aquaclean Tuma offers modern standards for hygiene and easy care.



→ Geberit AquaClean Tuma floor-standing

GEBERIT AQUACLEAN MODEL OVERVIEW



	AQUACLEAN MERA		AQUACLEAN SELA
	COMFORT	CLASSIC	
WhirlSpray shower technology			
Rimless WC ceramic appliance with TurboFlush			
Rimless WC ceramic appliance			
Remote control			
Remote control app			
Programmable user profiles	4 profiles	4 profiles	4 profiles
Orientation light			
Number of adjustable shower pressure settings	5 levels	5 levels	5 levels
Individually adjustable spray arm position			
Adjustable water spray temperature			
Oscillating spray			
Lady shower			
WC seat heating			
Warm air dryer			
Odour extraction unit			
Touchless automatic mechanism for the WC lid			
SoftClosing			
QuickRelease function			
User recognition			
Descaling function			
Economy mode			

AQUACLEAN TUMA	
COMFORT	CLASSIC
4 profiles	1 profile (via app only)
5 levels	5 levels
	 (via app only)
 (via app only)	 (via app only)
 (lid only)	 (lid only)

MODEL COLOURS:

AQUACLEAN MERA COMFORT AND CLASSIC AND AQUACLEAN SELA

- white alpine
- bright chrome-plated

AQUACLEAN TUMA COMFORT

- white alpine
- white glass
- black glass
- stainless steel brushed

THE FOLLOWING APPLIES FOR ALL MODELS:

Nominal voltage/frequency: 230 V / 50-60 Hz.,
 pre-set water temperature of 37 °C,
 economy mode < 0.5 W



→ Geberit Monolith Puro in black with Geberit iCon floor-standing WC

GEBERIT MONOLITH PURO

Geberit Monolith Puro



White

→ **131.174.SF.1**
6L/3L (SEA)


→ **131.172.SF.1**
4.5L/3L (SG)



Black

→ **131.174.SG.1**
6L/3L (SEA)

→ **131.172.SG.1**
4.5L/3L (SG)





GEBERIT SHOWER SOLUTIONS DISCREETAND SMART



↑
FLOOR EVEN SHOWER SOLUTIONS – SHOWER IN STYLE
 The Geberit CleanLine shower channel is an alternative for floor even showers. It has a two-piece design: The trap is mounted below the surface and a sealing foil is firmly connected to the drain to ensure maximum tightness. On top there is a collector surface in stainless steel, which can be cut to length. It can be placed either close to the wall or in the middle of the shower area.

- CROSSING THE CHANNEL**
- Two positions for the installation: in the room centre or at the wall
 - Unique design with collector surface comb insert and trap
 - Simple cleaning and modern linear appearance



↑
GEBERIT WALL DRAIN FOR SHOWERS – INNOVATIVE WALL-DRAINAGE
 Floor even solutions for showers are getting more and more popular. An alternative to traditional wet room drainage is the Geberit wall drain for showers which integrates the drainage into the wall. The drain is not interrupting the floor and this opens up the room. The hair trap can be easily accessed and the removable front cover makes cleaning quick and easy.

- DISAPPEARING IN THE WALL**
- Never standing on the drain again
 - More freedom in your bathroom design
 - Classy and highly functional design
 - Easy cleaning



red dot design award
 winner 2015

GEBERIT CLEANLINE SHOWER CHANNEL

CleanLine80

Champagne, coated
Material: Stainless steel

→ **154.440.39.1**
Length: 30 - 90cm

→ **154.441.39.1**
Length: 30 - 130cm



Stainless steel, brushed
Material: Stainless steel

→ **154.440.KS.1**
Length: 30 - 90cm

→ **154.441.KS.1**
Length: 30 - 130cm



Black chrome, polished
Material: Stainless steel

→ **154.440.QC.1**
Length: 30 - 90cm

→ **154.441.QC.1**
Length: 30 - 130cm



CleanLine60

Polished, brushed metal
Material: Stainless steel

→ **154.456.KS.1**
Length: 30 - 90cm

→ **154.457.KS.1**
Length: 30 - 130cm



For Thin Floor

Brushed metal
Material: Stainless steel

→ **154.458.00.1**
Length: 30 - 90cm

→ **154.459.00.1**
Length: 30 - 130cm




GEBERIT CLEANLINE SHOWER CHANNEL

CleanLine20

Polished, brushed metal
Material: Stainless steel

→ **154.450.KS.1**
Length: 30 - 90cm


→ **154.451.KS.1**
Length: 30 - 130cm



CleanLine Tile-bearing

Customised surface
Material: Stainless steel brushed

→ **154.455.00.1**



CleanLine Installation Set

With waste trap

for screed height at inlet 90–220mm

→ **154.150.00.1**

Outlet diameter: 50mm


→ **154.151.00.1**

Outlet diameter: 56mm

for screed height at inlet 65–90mm

→ **154.152.00.1**

Outlet diameter: 40mm




Without waste trap

for cross-floor installation

→ **154.153.00.1**

Outlet diameter: 50mm




GEBERIT FLOOR DRAINS

Floor Drain Grating


Lockable

→ **154.310.00.1**
 Stainless steel brushed
 Material: Stainless steel




Circle

→ **154.311.00.1**
 Stainless steel brushed
 Material: Stainless steel




Square

→ **154.312.00.1**
 Stainless steel brushed
 Material: Stainless steel




Floor Drain

→ **154.050.00.1**
 Floor construction height from 90mm



→ **154.052.00.1**
 Floor construction height from 65mm




→ **154.053.00.1**
 Cross-floor installation

GEBERIT FLOOR DRAIN AQUOREA

Floor Drain Aquorea


Slotted Grating, Rear Inlet

→ **388.011.00.1**
 Material: PE-HD





Slotted Grating

→ **388.012.00.1**
 Material: PE-HD



Hole Grating

→ **388.013.00.1**
 Material: PE-HD




→ **ODOUR-FREE WITHOUT WATER REFILL**
 Up to 5 months of odour-free protection thanks to the special design and patented silicone membrane. The Geberit floor drain Aquorea also offers easy maintenance, installation and a big flow rate.


GEBERIT FLOOR COLLECTOR DRAIN

Floor Collector Drain


→ 388.001.00.1
Outlet: 75mm, H198mm
Material: PE-HD



→ 388.007.00.1
Outlet: 75mm, H150mm
Material: PE-HD




→ 388.008.00.1
Outlet: 75mm, H150mm
Material: PE-HD
For cross-floor installation




Grating for Floor Collector Drain

→ 388.009.00.1
Outlet: 75mm, H150mm
Material: PE-HD
For cross-floor installation



Adapter to PVC

→ 154.297.00.1
Size: D40
Material: PE




→ 154.298.00.1
Size: D50
Material: PE


GEBERIT WALL DRAIN

Duofix Wall Drain, Half Frame


→ 111.591.00.1
Discharge outlet: 50mm




→ 111.593.00.1
Discharge outlet: 40mm



Wall Drain Cover



→ 154.335.11.1
White
Material: Plastic



→ 154.335.21.1
Bright chrome-plated
Material: Plastic



→ 154.336.FW.1
→ 154.337.FW.1 (lockable)
Stainless steel brushed
Material: Stainless steel



→ 154.338.00.1 (frameless)
→ 154.339.00.1
Customisable surface





→ Geberit VariForm square undercounter washbasins with Brenta wall-mounted sensor taps
 → Geberit Smyle urinals with flush control Type 30



GEBERIT PUBLIC SOLUTIONS

INTELLIGENT DESIGN FLEXIBLE COMPONENTS



↑ GEBERIT URINAL SYSTEM THE COMPLETE SOLUTION

The Geberit urinal system includes the ceramic, the integrated flush system and the urinal element. Only 0.5 litres of water are enough to ensure an optimal flushing out as the spray-head has been precisely designed to fit the ceramic pan. There are three options of operation: mains or battery operation or as a self-sustaining unit using an integrated generator.

The maintenance is very simple, as the ceramic unit does not need to be removed from the wall.

COMPLETELY CLEAR WHY:

- All from one source
- Easy maintenance
- Water saving
- For mains, battery or self-sustaining operation
- Waterless operation possible
- Quick solution



↑ GEBERIT TAP SYSTEM TOUCHLESS TECHNOLOGY

The Geberit tap system provides functional reliability, particularly in highly frequented areas. The tap housing is anchored firmly in the Geberit installation element and delicate components are separate from the tap, virtually eliminating the risk of damage due to moisture or vandalism.

TAP DANCE:


- Easy maintenance
- Water saving
- Very hygienic
- Vandal-proof
- For mains or battery operation

GEBERIT URINAL

Preda Urinal


With Integrated Sensor

→ 116.072.00.1
 White alpine




Without Integrated Sensor

→ 116.070.00.1
 White alpine




Waterless

→ 116.071.00.1
 White alpine




Smyle Urinal

→ 500.254.01.1
 White



Pareo Urinal


→ 236100000
 White




GEBERIT URINAL DIVISION PANEL

Urinal Division Panel


→ 115.201.11.1
 White alpine
 Material: Plastic




→ 115.202.11.1
 White alpine
 Material: Plastic




→ 115.211.CD.1
 Grey
 Material: Glass



→ 115.211.TD.1
 White alpine
 Material: Glass




→ 115.211.TF.1
 Umber
 Material: Glass



GEBERIT URINAL FLUSH CONTROL

Type 50

Flush technology:
sensor



→ 116.026.GH.1
Plate: Brushed chrome
Material: Die-cast zinc



→ 116.026.QB.1
Plate: Red gold
Material: Die-cast zinc




→ 116.026.QD.1
Plate: Black chrome
Material: Die-cast zinc



→ 116.026.QF.1
Plate: Brass
Material: Die-cast zinc

Flush technology:
manual



→ 116.016.00.5
Plate: Customised surface
Material: Die-cast zinc



→ 116.016.11.5
Plate: White alpine
Material: Die-cast zinc



→ 116.016.DW.5
Plate: Jet black
Material: Die-cast zinc



→ 116.016.GH.5
Plate: Brushed chrome
Material: Die-cast zinc



→ 116.016.SD.5
Plate: Smoked glass reflective
Material: Die-cast zinc



→ 116.016.SE.5
Plate: Green sanitised
Material: Die-cast zinc



→ 116.016.SQ.5
Plate: Umber glass
Material: Die-cast zinc



→ 116.016.JK.5
Plate: Lava glass
Material: Die-cast zinc



→ 116.016.JL.5
Plate: Sand grey glass
Material: Die-cast zinc

Type 10

Flush technology:
sensor



→ 116.025.KH.1
Plate: Brushed chrome
Ring: Matt chrome
Material: Die-cast zinc



→ 116.025.KJ.1
Plate: White
Ring: Bright chrome
Material: Die-cast zinc



→ 116.025.KK.1
Plate: White
Ring: Gold
Material: Die-cast zinc



→ 116.025.KL.1
Plate: White
Ring: Matt chrome
Material: Die-cast zinc



→ 116.025.KM.1
Plate: Black
Ring: Bright chrome
Material: Die-cast zinc



→ 116.025.KN.1
Plate: Matt chrome
Ring: Bright chrome
Material: Die-cast zinc



→ 116.025.SN.1
Plate: Brushed
Ring: Polished
Material: Stainless steel

Flush technology:
manual



→ 116.015.KH.1
Plate: Bright chrome
Ring: Matt chrome
Material: Plastic



→ 116.015.KJ.1
Plate: White
Ring: Bright chrome
Material: Plastic



→ 116.015.KK.1
Plate: White
Ring: Gold
Material: Plastic



→ 116.015.KL.1
Plate: White
Ring: Matt chrome
Material: Plastic



→ 116.015.KM.1
Plate: Black
Ring: Bright chrome
Material: Plastic




→ 116.015.KN.1
Plate: Matt chrome
Ring: Bright chrome
Material: Plastic



→ 116.015.SN.1
Plate: Brushed
Ring: Polished
Material: Stainless steel

Type 30

Flush technology:
sensor



→ 116.027.KH.1
Plate: Bright chrome
Material: Die-cast zinc



→ 116.027.KJ.1
Plate: White alpine
Material: Die-cast zinc



→ 116.027.KM.1
Plate: Black
Material: Die-cast zinc




→ 116.027.KN.1
Plate: Matt chrome
Material: Die-cast zinc



→ 116.027.KX.1
Plate: Brushed chrome
Material: Die-cast zinc

Flush technology:
manual



→ 116.017.KH.1
Plate: Bright chrome
Stripes: Matt chrome
Material: Plastic



→ 116.017.KJ.1
Plate: White alpine
Stripes: Bright chrome
Material: Plastic



→ 116.017.KK.1
Plate: White alpine
Stripes: Gold
Material: Plastic



→ 116.017.KL.1
Plate: White alpine
Stripes: Matt chrome
Material: Plastic



→ 116.017.KM.1
Plate: Black
Stripes: Bright chrome
Material: Plastic



→ 116.017.KN.1
Plate: Matt chrome
Stripes: Bright chrome
Material: Plastic

Type 01

Flush technology:
sensor



→ 116.021.11.5
Plate: White alpine
Material: Die-cast zinc



→ 116.021.21.5
Plate: Bright chrome
Material: Die-cast zinc



→ 116.021.46.5
Plate: Matt chrome
Material: Die-cast zinc

Flush technology:
manual



→ 116.011.11.5
Plate: White alpine
Material: Plastic



→ 116.011.21.5
Plate: Bright chrome
Material: Plastic



→ 116.011.46.5
Plate: Matt chrome
Material: Plastic

GEBERIT SENSOR TAP

Deck-mounted Sensor Tap

Brenta



With exposed function box
Mains operation

→ 116.171.21.1
Without mixer
Surface: Bright chrome

→ 116.172.21.1
With mixer
Surface: Bright chrome



With concealed function box
Mains operation

→ 116.191.21.1
Without mixer
Surface: Bright chrome

→ 116.192.21.1
With mixer
Surface: Bright chrome

Piave



With exposed function box
Mains operation

→ 116.161.21.1
Without mixer
Surface: Bright chrome

→ 116.162.21.1
With mixer
Surface: Bright chrome



With concealed function box
Mains operation

→ 116.181.21.1
Without mixer
Surface: Bright chrome

→ 116.182.21.1
With mixer
Surface: Bright chrome



Wall-mounted Sensor Tap

Brenta



With concealed function box
Mains operation

→ 116.271.21.1
Without mixer
Surface: Bright chrome
Length: 17cm

→ 116.272.21.1
Without mixer
Surface: Bright chrome
Length: 17cm



With concealed function box
Mains operation

→ 116.291.21.1
Without mixer
Surface: Bright chrome
Length: 22cm

→ 116.292.21.1
With mixer
Surface: Bright chrome
Length: 22cm

Piave



With concealed function box
Mains operation

→ 116.261.21.1
Without mixer
Surface: Bright chrome
Length: 17cm

→ 116.262.21.1
Without mixer
Surface: Bright chrome
Length: 17cm



With concealed function box
Mains operation

→ 116.281.21.1
Without mixer
Surface: Bright chrome
Length: 22cm



→ 116.282.21.1
With mixer
Surface: Bright chrome
Length: 22cm

ACCESSORIES FOR SENSOR TAP & MIXER



Duofix Element for Washbasin

For Deck-mounted tap

→ 111.553.00.1
Height: 112cm
Deck-mounted tap
With concealed function box





→ 111.563.00.1
Height: 112cm
Deck-mounted tap
With concealed function box and
concealed trap





For Wall-mounted tap

→ 111.560.00.1
Height: 130cm
Wall-mounted tap
With concealed function box




→ 111.562.00.1
Height: 130cm
Wall-mounted tap
With concealed function box and
concealed trap





Cover Plate

→ 116.425.11.1
White alpine
For concealed function box



→ 116.426.11.1
White alpine
For concealed function box and
concealed trap



GEBERIT BATHROOM COLLECTION

JUST LIKE PORCELAIN SKIN



→ Geberit ONE vanity basin



Geberit Bathroom Series
Online Catalogue



BATHROOM CERAMICS PLANE AND GLAZED

Geberit offers a huge variety of ceramic products like toilet bowls and washbasins. Most of the products can be provided with KeraTect, a special fired to form glaze that makes the surface practically non-porous which reduces the building-up of dirt and bacteria. That makes cleaning a lot easier. Rimfree toilets add also much to a hygienic bathroom, as there are no hidden hollow spots. Dirt is easy to see and can be removed in a flash.

CUTTING A FINE FIGURE:

- A vast variety of products available
- Long-lasting quality
- Special fired to form glaze available (KeraTect glaze)
- Hygienic surfaces



- Rimfree ceramics are easy to clean
- Less cleaning agent necessary
- More hygienic as there are no hiding places for germs



→ Geberit ONE



→ Geberit Acanto



→ Geberit Citterio



→ Geberit iCon



→ Geberit Smyle



→ Geberit Xeno²



→ Geberit Selnova



→ Geberit Senya



→ Geberit VariForm



→ Geberit Bambini



→ Geberit Bathtubs



→ Geberit Publica

GEBERIT INSTALLATION SYSTEMS

A DIRECT PATH TO THE SANITARY WALL

Insert, align, press shut: Geberit GIS profiles can be permanently joined with the special profile connectors extremely quickly, thus creating a complete support system quickly and without tools out of just two components.

With a dovetail groove, the Geberit GIS profiles are optimally prepared for the installation of the elements. Geberit GIS

profile connectors or Geberit GIS ratchet pins are used to securely fasten them to the prepared support system.

The Geberit GIS mounting brackets ensure that the sanitary wall is securely anchored to the building structure. Sound insulation bases made of cork ensure that the support system is effectively sound decoupled from the building.



↑ Up to four Geberit GIS profiles can be cut to length at the same time with the chop saw.



↑ Assembly of the Geberit GIS profiles: everything is fixed with a single click.



↑ The Geberit GIS mounting brackets with sound insulation bases made of cork ensure that the support system is securely anchored and reliably sound decoupled.



↑ The Geberit GIS installation elements can be fixed quickly and reliably.



← Half-height and ceiling-height installation walls and room dividers can be created in no time at all and with just a few parts when the Geberit GIS installation system is used.

The Geberit GIS installation system makes creative bathroom designs quick, easy and economical. Free-standing sanitary walls, half-height room dividers, niches and storage areas create a unique feeling of space. Tested and standards-compliant noise and fire protection are already integrated.




1 With Geberit GIS, you can realise even the most individual of room designs. 2 With Geberit GIS, bathroom facilities can be positioned just as you desire.

FOR UNIVERSAL USE
Geberit GIS offers very flexible applications in new construction and renovations. This means it is suitable for all construction situations, from the small shower bath to the large wellness bath, and also in the object area.

TOOL-FREE INSTALLATION
With tool-free installation, Geberit GIS sets the benchmark for structurally uncompromising but nonetheless rational bathroom solutions.



- More living and floor space
- Simple planning and installation
- Smaller, consistent pipe diameter
- No additional ventilation pipes
- Horizontal pipelines without slope*



↑
Geberit SuperTube saves space in every direction.

* Up to 6 metres

GEBERIT WASTE WATER DRAINAGE SYSTEMS

DRAINING AT THE HIGHEST STAGE



↑ GEBERIT HDPE THE MULTI-PURPOSE SOLUTION

The Geberit HDPE drainage system delivers optimal performance. The system pipes are easily welded and guarantee not only high chemical, thermal and mechanical strength but are also absolutely watertight and possess an extraordinarily high longitudinal strength. Geberit HDPE pipes can even be installed in concrete. Geberit HDPE is ideal for prefabrication. With the majority of work carried out in the workshop, the installation requires just a few simple connections on-site. The light weight of HDPE pipes allows the transport of full assemblies from the workshop to where they are required.

REASONS FOR GEBERIT HDPE:

- Resistant to impact and highly flexible
- Completely leak-proof
- Resistant to chemicals and high temperatures
- Wide range of diameters
- Cast in concrete possible
- Easy to prefabricate away from site



↑ GEBERIT SUPERTUBE THE SPACE-GAINING SYSTEM

The Geberit SuperTube technology is based on the perfect interplay between four system components. Three clever fittings coupled with the tried-and-tested Geberit HDPE discharge pipe with its high load-bearing capacity combine to create an innovative hydraulic solution that also brings clear additional benefits. These components are permanently welded to ensure a tight connection in the long term.

GEBERIT SUPERTUBE PROS:

- Best solution for high-rise buildings
- Up to 40% more living and floor space
- Horizontal pipelines without slope*
- Compatible with Geberit HDPE & Silent-db20
- Simple planning and installation
- Smaller, consistent pipe diameter
- No additional ventilation pipes
- Economic alternative to conventional discharge stacks



↑ GEBERIT SILENT-DB20 MUTED SOUNDS


Geberit Silent-db20 has very good soundproofing properties because of its significantly increased mass. The product is made of mineral reinforced HDPE. The material is UV-resistant due to 2% soot, recyclable, can be welded with Geberit HDPE and its chemical characteristics are like HDPE. The ribs have a vibration dampening effect and reduce the vibration of the pipe and therefore the emission of airborne sound.

THE SOUND OF SILENCE:


- The Geberit Silent-db20 has the same qualities like Geberit HDPE
- Outstanding sound insulation
- System with numerous dimensions and fittings
- Hydraulically optimised fittings
- Safe and permanent connection

GEBERIT ROOF DRAINAGE SYSTEM

THE EFFECTIVE RAIN SOLUTION



↑
Conventional roof drainage system



↑
Geberit Pluvia syphonic roof drainage system

NOT AFRAID OF CATS AND DOGS

The Geberit Pluvia roof drainage system includes roof outlets, pipes and fittings made of Geberit HDPE. Unlike conventional roof drainage methods, the Geberit Pluvia system functions as a syphonic system. The pipeline fills completely as rapidly as possible and creating a negative pressure. The water is drawn away by suction and not allowed to drain away constantly. This also ensures an improved self-cleaning function.


The system is cost-effective as smaller pipe diameters can be applied and the Geberit Pluvia system uses significantly fewer stacks and less underground pipes. The Geberit Pluvia roof outlets are linked together directly under the roof with a non-sloping collector pipe. Large roof areas can therefore be drained through a single discharge stack.

This simplifies planning and reduces construction time, and it enables planners and architects to go new ways in planning and development of drainage solutions. There is a wide range of Geberit Pluvia outlets available, allowing the connection with every roof material. They can also be transformed into emergency outlets with an additional installation kit.

10 GOOD REASONS TO GO FOR GEBERIT PLUVIA

- Wide range of applications
- Space-saving
- Less downpipes
- Cost-saving installation
- Less work on-site
- Functions as a syphonic system
- Large areas can be drained through a single discharge stack
- Small pipe diameter
- Less underground pipes, less manholes
- Outlets for all roof types

- Over 35 years of experience
- For roofs of factories, warehouses, shopping centres, airports, hotels, sport centres etc.
- High reliability and outstanding durability
- Low system weight





- Optimally coordinated system with fittings, pipes and pressing tool with pressing jaw or collar
- Safety during processing: non-pressed connections immediately apparent
- Strictly implemented quality requirements ensure permanently tight connections
- Flexibility and economic efficiency through systems that can be combined with one another

GEBERIT SUPPLY SYSTEMS

SIMPLY CONNECTED



↑ DON'T STRESS. PRESS. EASY ASSEMBLING

Safe and long-lasting connections are the primary goal in all areas of pipe installation. In addition, a quick and easy installation is important to the plumber. The pressing systems Geberit Mapress and Geberit Mepla meet these requirements perfectly. Transitions between different product materials and systems can be realised without any problems thanks to the numerous adapters. For example, in heating installations, Geberit Mapress Carbon Steel can be used for the basement distribution and the riser pipe and the Geberit Mepla multilayer pipe system for the radiator connection – no need for complicated sealing with hemp or the use of a threaded adapter. Just insert, press, done.



↑ GEBERIT MAPRESS THE ALLROUND TALENT

When it comes to hygiene, temperature, pressure or aggressive liquids, you will always make the right decision by choosing Geberit Mapress Stainless Steel, which has proven its worth well, not only in domestic installations, but also in industrial plants. Geberit Mapress Stainless Steel has obtained VdS approval as well as all relevant international approvals for use in sprinkler systems.

THE ALLROUND TALENT:

- For extreme requirements in terms of drinking water hygiene and a high load bearing capacity
- Chemical and thermal disinfection possible
- Can be used for a multitude of media using the corresponding seal rings
- Pressing indicator identifies non-pressed connections even before the pressure test
- Large assortment: 11 dimensions from 12 to 108 mm, roughly 500 fittings
- System compatibility with Geberit Mepla and the other Geberit Mapress product materials



↑ GEBERIT MEPLA THE VERSATILE OPTION

The Geberit Mepla pipe, an aluminium/PE multilayer pipe, allows for easy, safe and flexible processing, whilst also complying with high hygiene standards. The fittings ensure a high degree of safety during processing as well as reliable tightness. These characteristics make Geberit Mepla especially suited to drinking water supply and radiator connections.

FAST AND FLEXIBLE:

- Inherently stable, flexible and corrosion-resistant
- Non-pressed connections are visibly leaky
- High resistance to pressure
- Pipes and fittings hygienically sealed
- Can be chemically and thermally disinfected
- Suitable for any drinking water quality
- Adapters for all Geberit installation elements
- Adapters for quick connections to Geberit Mapress

**Geberit South East Asia Pte Ltd
Regional Headquarters**

Aperia Tower 1
8 Kallang Avenue, #17-09
Singapore 339509

T +65 6250 4011
F +65 6250 4211
sales.sg@geberit.com

www.geberit.com.sg

South Korea Office

#301 JS Building, 213-5 Nonhyun-Dong,
Gangnam-Gu, 135-090 Seoul,
South Korea

T +82 2 543 4166
F +82 2 543 4123
sales.kr@geberit.com

www.geberit.co.kr

Hong Kong Office

Unit B, 11th Flr, CKK Commercial Centre,
289 Hennessy Road, Wan Chai
Hong Kong

T +852 2575 5960
F +852 2575 2667
sales.hk@geberit.com

Taiwan Office

4F-6, No.57, Sec 1, Dunhua S. Road,
Songshan Dist., Taipei City 10557,
Taiwan

T +886 2 2579 8736
F +886 2 2577 3365
sales.tw@geberit.com

Malaysia Office

Q Sentral, Level 35-02 (East Wing)
2A, Jalan Stesen Sentral 2, KL Sentral,
Kuala Lumpur 50470
Malaysia

T +60 3 2731 9228
F +60 3 2731 9399
sales.sg@geberit.com

Thailand Office

11/1 , AIA Sathorn Tower, 9th Floor, Unit S9015,
South Sathorn Road, Yannawa, Sathorn,
Bangkok 10120,
Thailand

T +66 85 368 5829
sales.sg@geberit.com

Philippines Office

Unit 4104, Regus GT Tower, 41/F
GT Tower Building, Ayala Ave., cor dela
Costa St., Makati City, Metro Manila, 1224
Philippines

T: +63 2 8651 6546
F +63 2 840 6501
sales.sg@geberit.com

Vietnam Office

23rd Floor – E. Town Central,
11 Doan Van Bo Ward 12, District 4,
Ho Chi Minh City
Vietnam

sales.sg@geberit.com



Geberit Online Catalogue